ELSEVIER

**Biomembranes**

Vol. 1372, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Cumulative Contents

*Information for Contributors* vii

## *Regular papers*

Voltage-dependent calcium influx in human sperm assessed by simultaneous optical detection of intracellular calcium and membrane potential
*L. Linares-Hernández, A.M. Guzmán-Grenfell, J.J. Hicks-Gomez and M.T. González-Martínez (México)* 1

Triggerable liposomal fusion by enzyme cleavage of a novel peptide–lipid conjugate
*C.C. Pak, S. Ali, A.S. Janoff and P. Meers (USA)* 13

A proton-translocating $H^+$-ATPase is involved in C6 Glial pH regulation
*C. Volk, T. Albert and O.S. Kempski (Germany)* 28

Modulatory drug action in an allosteric Markov model of ion channel behaviour: biphasic effects with access-limited binding to either a stimulatory or an inhibitory site
*G.F. Yeo and B.W. Madsen (Australia)* 37

Lipid interactions with human antiphospholipid antibody, β2-glycoprotein 1, and normal human IgG using the fluorescent probes NBD-PE and DPH
*D. Tang, D. Borchman, N. Harris and S. Pierangeli (USA)* 45

Delivery of an anti-HIV-1 ribozyme into HIV-infected cells via cationic liposomes
*K. Konopka, J.J. Rossi, P. Swiderski, V.A. Slepushkin and N. Düzgünes (USA)* 55

Organization of the canine gene encoding the E isoform of retinal guanylate cyclase (cGC-E) and exclusion of its involvement in the inherited retinal dystrophy of the Swedish Briard and Briard–Beagle dogs
*A. Veske, S.E.G. Nilsson and A. Gal (Germany, Sweden)* 69

Membrane permeabilisation and antimycoplasmic activity of the 18-residue peptaibols, trichorzins PA
*L. Bèven, D. Duval, S. Rebuffat, F.G. Riddell, B. Bodo and H. Wróblewski (France, UK)* 78

Evidence for a role of the multidrug resistance protein (MRP) in the outward translocation of NBD-phospholipids in the erythrocyte membrane
*D. Kamp and C.W.M. Haest (Germany)* 91

Enhanced efficiency of a targeted fusogenic peptide
*A. Decout, C. Labeur, M. Goethals, R. Brasseur, J. Vandekerckhove and M. Rosseneu (Belgium)* 102

Differential activation of system A and betaine/GABA transport in MDCK cell membranes by hypertonic stress
*S.A. Kempson (USA)* 117

Interaction of DPPC monolayers with soluble surfactants: electrostatic effects of membrane perturbants
*C.W. McConlogue, D. Malamud and T.K. Vanderlick (USA)* 124

In vitro reconstitution of stratum corneum lipid lamellae
*D. Kuempel, D.C. Swartzendruber, C.A. Squier and P.W. Wertz (USA)* 135

Free liposomes enhance the transfection activity of DNA/lipid complexes in vivo by intravenous administration
*Y.K. Song and D. Liu (USA)* 141

## *Erratum*

Erratum to "Electrostatic parameters of cationic liposomes commonly used for gene delivery as determined by 4-heptadecyl-7-hydroxycoumarin" [Biochim. Biophys. Acta 1329 (1997) 211–222]
*N.J. Zuidam and Y. Barenholz (Israel)* 151

*Information for Contributors* vii

## *Regular papers*

Membrane-bound and soluble polyphosphatases of mitochondria of *Saccharomyces cerevisiae*: identification and comparative characterization
*L. Lichko, T. Kulakovskaya and I. Kulaev (Russia)* 153

Effects of mitochondrial respiratory stimulation on membrane lipids and proteins: an electron paramagnetic resonance investigation
*S.P. Gabbita, R. Subramaniam, F. Allouch, J.M. Carney and D.A. Butterfield (USA)* 163

Functional reconstitution of membrane glycoproteins into lipid vesicles using lectin precipitation. Application to the VIP receptor
*A. El Battari, M. Zerfaoui, J. Luis, Z.-L. Xiao, A. Kadi, C. Bellan, D. Lombardo and J. Marvaldi (France)* 174

Differential regulation of $Na^+$ and $Cl^-$ conductances by PTX-sensitive G proteins in fetal lung apical membrane vesicles
*L. Gambling, R.E. Olver, G.K. Fyfe, P.J. Kemp and D.L. Baines (UK, USA)* 187

Red blood cell shape as a function of medium's ionic strength and pH
*M. Rasia and A. Bollini (Argentina)* 198

The role of glycolipids in mediating cell adhesion: a flow chamber study
*J. Vogel, G. Bendas, U. Bakowsky, G. Hummel, R.R. Schmidt, U. Kettmann and U. Rothe (Germany)* 205

Modulation of plant plasma membrane $H^+$-ATPase by phytotoxic lipodepsipeptides produced by the plant pathogen *Pseudomonas fuscovaginae*
*H. Batoko, A. de Kerchove d'Exaerde, J.-M. Kinet, J. Bouharmont, R.A. Gage, H. Maraite and M. Boutry (Belgium, The Netherlands)* 216

Proton induced vesicle fusion and the isothermal $L_\alpha \rightarrow H_{II}$ phase transition of lipid bilayers: a $^{31}P$-NMR and titration calorimetry study
*M.R. Wenk and J. Seelig (Switzerland)* 227

Phospholipid free thin liquid films with grafted poly-(ethylene glycol)-2000: formation, interaction forces and phase states
*A.N. Nikolova and M.N. Jones (Bulgaria, UK)* 237

pH-dependent fluoride transport in intestinal brush border membrane vesicles
*H. He, V. Ganapathy, C.M. Isales and G.M. Whitford (USA)* 244

$G_{s\alpha}$-mediated regulation of the carnitine carrier in S49 lymphoma cells
*B. Gustafson and L.A. Ransnäs (Sweden)* 255

Regulation and pH-dependent expression of a bilaterally truncated yeast plasma membrane $H^+$-ATPase
*A.B. Mason, T.B. Kardos and B.C. Monk (New Zealand)* 261

Comparison of different hydrophobic anchors conjugated to poly(ethylene glycol): effects on the pharmacokinetics of liposomal vincristine
*M.S. Webb, D. Saxon, F.M.P. Wong, H.J. Lim, Z. Wang, M.B. Bally, L.S.L. Choi, P.R. Cullis and L.D. Mayer (Canada)* 272

Lipid and stress dependence of amphotericin B ion selective channels in sterol-free membranes
*T. Ruckwardt, A. Scott, J. Scott, P. Mikulecky and S.C. Hartsel (USA)* 283

Voltage-dependent inhibition of the $Na^+$,$K^+$ pump by tetraethylammonium
*U. Eckstein-Ludwig, J. Rettinger, L.A. Vasilets and W. Schwarz (Germany, Russia)* 289

pH-sensitive liposomes as a carrier for oligonucleotides: a physico-chemical study of the interaction between DOPE and a 15-mer oligonucleotide in quasi-anhydrous samples
*M.C. De Oliveira, E. Fattal, P. Couvreur, P. Lesieur, C. Bourgaux, M. Ollivon and C. Dubernet (Brazil, France)* 301

Effect of cysteine replacements on the properties of the turgor sensor KdpD of *Escherichia coli*
*K. Jung, R. Heermann, M. Meyer and K. Altendorf (Germany)* 311

pH dependence of $Cl/HCO_3$ exchanger in the rat jejunal enterocyte
*M. Tosco, M.N. Orsenigo, G. Gastaldi and A. Faelli (Italy)* 323

The influence of hydrophobic mismatch on androsterol/phosphatidylcholine interactions in model membranes
*H. Ohvo-Rekilä, P. Mattjus and J.P. Slotte (Finland)* 331

Physico-chemical characterization of a double long-chain cationic amphiphile (Vectamidine) by microelectrophoresis
*V. Pector, J. Caspers, S. Banerjee, L. Deriemaeker, R. Fuks, A. El Ouahabi, M. Vandenbranden, R. Finsy and J.-M. Ruysschaert (Belgium)* 339

Thermotropic behavior of galactosylceramides with *cis*-monoenoic fatty acyl chains
*V.S. Kulkarni and R.E. Brown (USA)* 347

Hyperpolarization of the cell membrane of mouse hepatocytes by lactate, pyruvate, and fructose is due to $Ca^{2+}$-dependent activation of $K^+$ channels and of the $Na^+/K^+$-ATPase
*T.A. Lutz, S. Wild, S. Boutellier, D. Sutter, M. Volkert and E. Scharrer (Switzerland)* 359

Ionophoric activity of the antibiotic peptaibol trichorzin PA VI: a $^{23}$Na- and $^{35}$Cl-NMR study
*D. Duval, F.G. Riddell, S. Rebuffat, N. Platzer and B. Bodo (France, UK)* 370

## *Rapid reports*

Evidence for three-dimensional interlayer correlations in cationic lipid-DNA complexes as observed by cryo-electron microscopy
*B.J. Battersby, R. Grimm, S. Huebner and G. Cevc (Germany)* 379

Transfer of second messengers through gap junction connexin 43 channels reconstituted in liposomes
*Y. Kam, D.Y. Kim, S.K. Koo and C.O. Joe (South Korea)* 384

$L_\alpha$-phase separation in phosphatidylcholine–water systems induced by alkali chlorides
*M. Rappolt, K. Pressl, G. Pabst and P. Laggner (Austria)* 389

*Cumulative Contents Vol. 1372* 395

*Author Index* 398